

Installing the PostScript fonts in EmTeX using the PSNFSS package

Chris Inacio

October 22, 1997

0.1 Getting PSNFSS

PSNFSS can be downloaded from your favorite CTAN site. It installs the standard 35 PostScript fonts for use into L^AT_EX somewhat easily. (Most of the work has been done for you.) These directions hopefully should help you get things up and running using EmT_EX. If you have any questions or comments please send them to either the EmT_EX mailing list or me at inacio@ece.cmu.edu and I would be glad to help you out if I can. You can download the most recent copy of this document at <http://www.ece.cmu.edu/afs/ece/usr/inacio/publichtml/emtex/welcome.html>.

Here are some helpful hints and tips on interpreting this document. EMTEXDIR is the base directory of where you have installed EmT_EX. You can find out what this is by typing `set emtexdir`. *I know checking variable settings using set that way works under OS/2, your mileage may vary under MS-DOS or Windows.* Please substitute your path in for that variable wherever you see it in the following directions. My personal first choice in CTAN sites is `ftp.dante.de` the other current site, (as of this writing,) is `tug2.cs.umb.edu`, which is actually news to me. The PSNFSS package is on CTAN in the directory `tex-archive/macros/latex/packages/psnfss`. I refer you to your `texfonts` directory below for installing some virtual font information. This may or may not be under your EmT_EX directory. I put mine under my EmT_EX directory, but the standard install is *not* to do that. Lastly, I highly recommend getting the GhostScript viewer. It is a very good tool, works on most platforms, and for dealing with PostScript files, I don't see how you can do without it. I use it at home with my laser printer which isn't PostScript, and at work to view files before sending them to the PostScript printers. You can get it, along with a great user interface, GSview, by Russell Lang from <http://www.cs.wisc.edu/ghost/>.

0.2 Step-by-Step

1. First download PSNFSS from CTAN. This includes getting the file `lw35nfss.zip` from `/fonts/adobe`. If you don't have the Adobe font descriptions for the files, you'll also need `lw35pk.zip` from `/fonts/adobe`. *I'm not sure about the lw35pk.zip file and when you need it. It contains the PK files, T_EX bitmap images of the fonts, so I think you can just install them, anybody know for sure and want to tell me?*
2. Run L^AT_EX on the file `psfonts.ins`. This will generate the following files: `avant.sty` `bookman.sty` `chancery.sty` `helvet.sty` `mathptm.sty` `newcent.sty` `palatino.sty` `pifont.sty` `times.sty`. Copy these files into your `EMTEXDIR\texinput\latex2e` directory.
3. Unzip the `lw35nfss.zip` file. It creates 3 directories: `dvips` `fonts` `tex`. You will need to copy a lot of different files from this zip archive, and it's a good idea to use `xcopy` with the `/s` parameter (get subdirectories,) to do it.
4. You will need to copy the `adobe` subdirectory in the `fonts\tfm` subdirectory from unzipping `lw35nfss.zip` into your `EMTEXDIR\tfm` directory.

5. Now you have to tell DVIPS about your PostScript fonts. PSNFSS has a map file that you need to tell DVIPS about. You have to edit your `config.ps` file in `EMTEXDIR\data\dvips`. The PSNFSS map file is in the `dvips\psnfss` subdirectory from unzipping `lw35nfss.zip`. I copied the map file you need, `psnfss.map` into `EMTEXDIR\data\dvips` as `postscript.map` so that I wouldn't copy over the `psnfss.map` file distributed with DVIPS. I assume the the `psnfss.map` distributed with DVIPS is out of date though, and that it wouldn't hurt to copy over it, especially since the current one from the PSNFSS package has a lot more information in it. Then, in your `config.ps` file, you need to add `p +postscript.map` or `p +psnfss.map` depending on what you called your map file.
6. Please copy the virtual font files into the font path for your dvi driver program. I assume that you are using DVIPS as your dvi driver program, I don't use anything else. I made a subdirectory in my `texfonts` directory called `vf` so that I didn't have to build a big path in my `config.ps` file. It is important to remember that DVIPS for EmT_EX only supports one path in its `DVIDRVFONTS` environment variable. So it makes a lot of sense to put these files in your `texfonts` directory somewhere. You can copy these from unzipping `lw35nfss.zip` in the directory `fonts\vf`. There is a whole set of directories and files to copy, so you might want to use `xcopy`.
7. Next, you have to copy the font descriptor files `.fd` files to someplace below your `EMTEXDIR\texinput` directory. I made a directory in my `texinput` directory called `fd` to hold the descriptor files. The descriptor files come from the `lw35nfss.zip` file and are in the `tex\latex\psnfss` directory.
8. Copy the file `8r.enc` from the PSNFSS package directory into `EMTEXDIR\data\dvips` before DVIPS will understand the encoding of the font, if the file isn't already there.
9. The final step! You have to set the `TEXTFM` environment variable. EmT_EX doesn't naturally search more than one directory deep into the `EMTEXDIR\tfm` directory tree. Since the font metrics for the PostScript fonts are nested below the foundry name, e.g. Adobe, you need to set `TEXTFM=EMTEXDIR\tfm!!`.

0.3 Using Postscript Fonts

In order to use your new PostScript font ability, all you need to do is add something like `\usepackage{times}` into your preamble. This file uses the Adobe Times font as its base font instead of Computer Modern. You can select from any of the packages you installed: `avant.sty` `bookman.sty` `chancery.sty` `helvet.sty` `mathptm.sty` `newcent.sty` `palatino.sty` `pifont.sty` `times.sty` as a selection for base font. The beginning of this document looks like:

```
\documentclass{report}
\usepackage{times}
```

```
\begin{document}
```

Good luck and happy T_EXing!